

## Roll-On Gel 1500mg


|                  |        |                   |                       |
|------------------|--------|-------------------|-----------------------|
| <b>Batch ID:</b> | N/A    | <b>Test ID:</b>   | T000121379            |
| <b>Type:</b>     | Unit   | <b>Submitted:</b> | 01/27/2021 @ 12:54 PM |
| <b>Test:</b>     | Metals | <b>Started:</b>   | 1/28/2021             |
| <b>Method:</b>   | TM19   | <b>Reported:</b>  | 2/1/2021              |

## HEAVY METALS


| Analyte | Dynamic Range (ppm) | Result (ppm) |
|---------|---------------------|--------------|
| Arsenic | 0.101 - 10.10       | ND           |
| Cadmium | 0.102 - 10.20       | ND           |
| Mercury | 0.106 - 10.60       | ND           |
| Lead    | 0.098 - 9.84        | ND           |

\* ND = None Detected (Defined by Dynamic Range of the method)

## FINAL APPROVAL

  
Ryan Weems  
1-Feb-2021  
2:19 PM

PREPARED BY / DATE

  
Ben Minton  
1-Feb-2021  
3:37 PM

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC.